

ELEVATION CERTIFICATE

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to provide elevation information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).
Instructions for completing this form can be found on the following pages.

| SECTION A PROPERTY INFORMATION | FOR INSURANCE COMPANY USE |
|---|---------------------------|
| BUILDING OWNER'S NAME <u>GERALDINE W. & JOSEPH E. RICHARDSON</u> | POLICY NUMBER |
| STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER <u>217 SEASIDE DRIVE N</u> | COMPANY NAIC NUMBER |
| OTHER DESCRIPTION (Lot and Block Numbers, etc.) <u>LOT 4 - BLK E FLORAL SECTION</u> | |
| CITY <u>SURFSIDE BEACH</u> | STATE <u>S.C.</u> |
| | ZIP CODE <u>29575</u> |

SECTION B FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

Provide the following from the proper FIRM (See Instructions):

| 1. COMMUNITY NUMBER | 2. PANEL NUMBER | 3. SUFFIX | 4. DATE OF FIRM INDEX | 5. FIRM ZONE | 6. BASE FLOOD ELEVATION (in AO Zones, use depth) |
|---------------------|-----------------|-----------|-----------------------|--------------|---|
| <u>450 III</u> | <u>0308</u> | <u>E</u> | <u>9-30-88</u> | <u>VE</u> | <u>17.0</u> |

7. Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back)
8. For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION C BUILDING ELEVATION INFORMATION

1. Using the Elevation Certificate Instructions, indicate the diagram number from the diagrams found on Pages 5 and 6 that best describes the subject building's reference level 5.
- 2(a). FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (b). FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level from the selected diagram, is at an elevation of feet NGVD (or other FIRM datum—see Section B, Item 7).
- (c). FIRM Zone A (without BFE). The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building.
- (d). FIRM Zone AO. The floor used as the reference level from the selected diagram is feet above or below (check one) the highest grade adjacent to the building. If no flood depth number is available, is the building's lowest floor (reference level) elevated in accordance with the community's floodplain management ordinance? Yes No Unknown
3. Indicate the elevation datum system used in determining the above reference level elevations: NGVD '29 Other (describe under Comments on Page 2). (NOTE: If the elevation datum used in measuring the elevations is different than that used on the FIRM [see Section B, Item 7], then convert the elevations to the datum system used on the FIRM and show the conversion equation under Comments on Page 2.)
4. Elevation reference mark used appears on FIRM: Yes No (See Instructions on Page 4)
5. The reference level elevation is based on: actual construction construction drawings
(NOTE: Use of construction drawings is only valid if the building does not yet have the reference level floor in place, in which case this certificate will only be valid for the building during the course of construction. A post-construction Elevation Certificate will be required once construction is complete.)
6. The elevation of the lowest grade immediately adjacent to the building is: 8.9 feet NGVD (or other FIRM datum—see Section B, Item 7).

SECTION D COMMUNITY INFORMATION

1. If the community official responsible for verifying building elevations specifies that the reference level indicated in Section C, Item 1 is not the "lowest floor" as defined in the community's floodplain management ordinance, the elevation of the building's "lowest floor" as defined by the ordinance is: feet NGVD (or other FIRM datum—see Section B, Item 7).
2. Date of the start of construction or substantial improvement _____

SECTION E CERTIFICATION



This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.


I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

| | |
|--|---|
| CERTIFIER'S NAME W. B. HUNTLEY III | LICENSE NUMBER (or Affix Seal) 8809 |
| TITLE RLS | COMPANY NAME HUNTLEY & ASSOCIATES |
| ADDRESS 900 S. PALMAR DR. | CITY STATE ZIP SURSIDE BEACH S.C. 29575 |
| SIGNATURE <i>W. B. Huntley III</i> | DATE PHONE 7-24-96 803-238-8745 |

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.



COMMENTS:



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

V-ZONE BREAKAWAY WALL DESIGN CERTIFICATE

Name of Property Owner Joseph E + Geraldine Richardson
Building Address 2174 N. Seaside Drive Permit # 96-00611
Legal Description Lot 4 Block E Floral Section
City Surfside Beach State SC Zip Code 29575 Within City Limits? yes

Flood Insurance Rate Map (FIRM) Information

Community Number 450111 Panel Number 0308 Suffix E
Date of FIRM Index 9-30-88

Elevation Information

1. Base Flood Elevation (BFE) 17.0 feet (NGVD)
2. Bottom of Lowest Horizontal Structural Member 18 feet (NGVD)
3. Elevation of Lowest Adjacent Grade 8.3 feet (NGVD)
4. Datum used: NGVD NAVD 88 Other _____

Breakaway Wall Certification Statement

NOTE: Certificate must be signed and sealed by a registered professional engineer or architect. A signed/sealed copy of this statement must also appear on the approved construction plans detailing breakaway wall construction.

I CERTIFY THAT I HAVE DEVELOPED OR REVIEWED THE STRUCTURAL DESIGN, PLANS, AND SPECIFICATIONS FOR CONSTRUCTION OF BREAKAWAY WALLS. THE DESIGN AND METHODS OF CONSTRUCTION TO BE USED FOR THE BREAKAWAY WALLS ARE IN ACCORDANCE WITH ACCEPTED STANDARDS OF PRACTICE FOR MEETING THE FOLLOWING PROVISIONS:

- * BREAKAWAY WALLS HAVE A DESIGN SAFE LOADING RESISTANCE OF NOT LESS THAN 10 AND NO MORE THAN _____ POUNDS PER SQUARE FOOT.
- * BREAKAWAY WALLS COLLAPSE SHALL RESULT FROM A WATER LOADS NO LESS THAN THAT WHICH WOULD OCCUR DURING THE BASE FLOOD; AND
- * THE ELEVATED PORTION OF THE BUILDING AND SUPPORTING FOUNDATION SYSTEM SHALL NOT BE SUBJECT TO COLLAPSE, DISPLACEMENT, OR OTHER STRUCTURAL DAMAGE DUE TO THE COMBINED EFFECTS OF WIND AND WATER LOADS ACTING SIMULTANEOUSLY ON ALL BUILDING COMPONENTS, STRUCTURAL AND NON-STRUCTURAL. WIND LOADING VALUES USED SHALL BE THOSE REQUIRED BY APPLICABLE STATE OF LOCAL BUILDING STANDARDS. WATER LOADING VALUES SHALL BE THOSE ASSOCIATED WITH THE BASE FLOOD. SUCH ENCLOSED SPACE SHALL BE USEABLE SOLELY FOR PARKING OF VEHICLES, BUILDING ACCESS, OR LIMITED STORAGE OF MAINTENANCE ITEMS.

Certification

Certifier's Name Albert A. Caison Title Pres.
Company Name Caison Engineering Co. License Number 3926
Street Address Hwy 17 BUS. Marina Colony Pk
City Murrells Inlet State SC Zip Code 29576
Telephone Number 651-2042

Signature Albert A. Caison Date 6/19/96

SEAL _____

